
Agile_HW_{test}

Release 0.1

Mar 30, 2020

Contents:

1	python_documentation	1
1.1	example_module module	1
1.2	main module	2
1.3	parser module	2
2	Licence	3
3	Indices and tables	5
	Python Module Index	7
	Index	9

1.1 example_module module

This is an example Python module for the Python to Read the Docs documentation repository. It is used to show how Sphinx autodoc can be used to auto-generate Python documentation from doc strings like this... Written by Matthew John Hayes

class example_module.ExampleModule

Bases: object

This is the main class of example_module. It doesn't do anything useful other than show how classes are documented by autodoc

__dict__ = mappingproxy({'__module__': 'example_module', '__doc__': "\n This is the m

__init__()

Initialise the ExampleModule class

__module__ = 'example_module'

__weakref__

list of weak references to the object (if defined)

_private_method()

Example private method that won't be documented by autodoc unless you add :private-members: to the automodule directive

increment(value)

Increment the value of self.class_variable by value passed to this method

run()

Run the ExampleModule instance

1.2 main module

1.3 parser module

`parser.textParser(self, text)`

General description of my text parser function

Parameters

- **self** – default parameter
- **text** (*string*) – lorem ipsum come from other method

Returns something importanat

Return type int

CHAPTER 2

Licence

Random random lorem sit ipsum dollor

CHAPTER 3

Indices and tables

- `genindex`
- `modindex`
- `search`

Python Module Index

e

`example_module`, [1](#)

p

`parser`, [2](#)

Symbols

`__dict__` (*example_module.ExampleModule attribute*), 1
`__init__()` (*example_module.ExampleModule method*), 1
`__module__` (*example_module.ExampleModule attribute*), 1
`__weakref__` (*example_module.ExampleModule attribute*), 1
`_private_method()` (*example_module.ExampleModule method*), 1

E

`example_module` (*module*), 1
`ExampleModule` (*class in example_module*), 1

I

`increment()` (*example_module.ExampleModule method*), 1

P

`parser` (*module*), 2

R

`run()` (*example_module.ExampleModule method*), 1

T

`textParser()` (*in module parser*), 2